KSB115 . Z9B891

N. Walnut

Member of the
American Association of Nurserymen
N. Y. State Nurserymen's Association
L. I. Nurserymen's Association



Wholesale Price List

EALL

1955



FALL 1955

You are always welcome at Bulk's Nurseries. Come to see us and we will be happy to show you our many blocks of fine well grown stock, especially suited for the landscape trade.

Growers of

Choice Nursery Stock

for over 30 years

Bulk's Nurseries

Babylon, L. J., N. Y.

Telephone: MOhawk 9-4400

Evenings: MOhawk 9-5728

MOhawk 9-4928

Terms and Conditions of Sale:

The prices published in this list cancel those in all previous lists. They are based on present market conditions and are subject to change without notice.

Prices listed are F.O.B. our Nurseries. Transportation at cost borne by the purchaser.

Quantities 1 to 5 at the each rate; 5 to 25 at the 10 rate; 25 and over at the 100 rate.

All stock when especially selected on the nursery will be sold at prices commensurate with the values of the specimens chosen.

Because of prevailing conditions we are unable to do any baling or boxing.

Guarantee: As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

Claims: All claims must be made immediately upon receipt of stock.

Terms: Cash with order, or 30 days to parties who have established credit with us.

Balling and burlapping free of charge on evergreens, and also on deciduous stock where B&B is specified; but an additional charge will be made if deciduous stock, not marked B&B, is requested balled and burlapped.

SCHEDULE OF BALLING CHARGES

Approximate Cost Depending on Varieties

DECIDUOUS TREES

DECIDOOD			
		Each	Each
		per 10	per 100
$1\frac{1}{4}$ - $1\frac{1}{2}''$	Caliper	\$	4.50
$1\frac{1}{2}$ -2"	,,		5.75
$2-2\frac{1}{2}''$	"		8.50
$2\frac{1}{2}$ -3"	,,	1	1.00
$\bar{3}$ -3 $\frac{1}{2}''$,,	1	5.00
$3\frac{1}{2}-4''$	"	2	0.00
$-4\frac{1}{2}''$	"	2	8.00
$4\frac{1}{2}-5''$	"	3	8.00
5-6"	"	4	8.00
6-7"	99	6	0.00
7-8"	"	8	0.00
FLOWERING	G SHRUBS		
2-3'			.65
3-4'			.75
4-5'			1.00
5-6'			1.50
6-8'		2.50 to	3.50
8-10'		5.00 to	6.00

The cost of platforms is in addition to the above charges; but will be rebated if they are returned to our nurseries.

In addition to this list we have a Retail Catalogue (with regular discount to the trade) which we will gladly mail upon request.

Each	Each per 10	Each per 100
1.75		
	3 60	3.25
		0.20
		(Taple)
	oup wear	Lupio,
14.50		
vay Maple)		
11.00	10.00	9.50
14.50	13.50	12.50
16.50	15.50	
20.00	19.00	18.00
26.00		
35.00		
		(o. 735)
	ple)	
17.50		
\$6.00	to \$14.0	0 each
urple-red)		
2.50	2,25	2.00
3.00	2.75	2.50
4.00	3.75	3.50
3.25	3.00	2.75
0 = 0	2.00	
		0.55
	4.00	3.75
5.75		
2.50	2 25	2.00
		$\frac{2.00}{2.75}$
		4.10
	1.20	
	2.25	2.00
		2.75
4.50	4.25	
5.75	5.25	
Beauty		
2.50	2.25	2.00
		2.75
4.50	4.25	
ite)		
2.75	2.50	2.25
3.50	3.25	3.00
	1.75 Iglas Fir) 4.00 4.75 7.00 purpurea (8.00 11.00 14.50 Ay Maple) 11.00 14.50 20.00 26.00 35.00 In King Ma 17.50 \$3.25 \$6.00 urple-red) 2.50 3.00 4.00 5.50 hybrid (sa 3.25 4.50 pink) 2.50 3.25 4.50 pink) 2.50 3.25 4.50 ste) 2.75	1.75 1.75 1.75 1.75 1.75 1.70 1.75 1.70 1.75 1.70 1.75 1.70 1.75 1.70 1.75 1.70

BULKS NO	JRSERI	ES	3
AZALEA Blacino (Lileo)	Each	Each per 10	Each per 100
AZALEA lilacina (Lilac) 12-15"	2.75	2.50	2.25
15-18"	3.25	3.00	2.75
$1\frac{1}{2}$ -2'	4.25	4.00	3.75
$2-2\frac{1}{2}$	5.50	5.00	0.10
A. pontica in varieties (y			ance)
15-18"	3.50	3.25	inge)
18-24"	4.25	3.75	3.25
$2-2\frac{1}{2}$	5.50	5.00	4.50
$2\frac{1}{2}$ -3'	6.50	6.00	1.00
A. poukhanensis (Korean			
15-18"	3.25	3.00	
$1\frac{1}{2}$ -2'	4.00	3.75	
$\frac{1}{2}$ - $\frac{1}{2}$ '	5.00	0.10	
A. rhombica (Pale Laver 18-24"	4.25		
	5.75	5.25	
$2-2\frac{1}{2}'$	5.75	5.25	
A. schlippenbachi 15-18"	3.25	3.00	
$15-16$ $1\frac{1}{2}-2'$	4.00	5.00	
	-	-	
BERBERIS julianae (Ev		Barberry)
15-18"	2.00		
$1\frac{1}{2}-2'$	3.00		
2-2½'	4.50	Danhanny	,
B. thunbergi atropurpure 15-18"	.55	.50	.45
$\frac{15-10}{1\frac{1}{2}-2'}$.70	.60	.10
$2\frac{1}{2}-3'$	1.50	1.25	
BIOTA — See Thuja			
		• 4• - \	
BUDDLEIA (Butterfly B			
	.75	.60	
CASTANEA mollissima		Chestnut)
6-8'	3.00		
8-10'	4.50		
CHAMAECYPARIS	IIinolei (Trenmana)	
C. obtusa cripsi (Golden	4.00	ypress)	
$2-2\frac{1}{2}'$ $2\frac{1}{2}-3'$	5.25		
3-4'	7.50		
4-5'	12.50	**	
C. obtusa gracilis (Slend		ki Cypres	s)
$2-2\frac{1}{2}'$	3.75	3.50	
21-3'	4.50	4.25	
3-3½'	6.25	5.75	
$3\frac{1}{2}-4'$	7.50	6.75	
4-5'	10.00	9.00	
5-6'	14.50		
6-7'	18.50		

	Each	Each per 10	Each per 100
CHAMAECYPARI		per ro	per 100
C. obtusa gracilis	s compacta		
(Compact	Hinoki Cypress)		
$2-2\frac{1}{2}'$	7.00		
$2\frac{1}{2}$ -3'	9.00		
C. obtusa gracilis	nana (Dwarf Hin	oki Cypro	ess)
$1\frac{1}{2}$ -2'	6.50		
$5-5\frac{1}{2}'$	35.00		
6-7'	45.00		
C. plumosa (Plur	ne Cypress)		
$2-2\frac{1}{2}'$	2.75	2.50	2.25
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
3-4'	3.75	3.50	3.25
4-5'	5.50	5.00	
C. pisifera aurea	(Golden Sawara	Cypress	(3)
$2\frac{1}{2}$ -3'	3.25	3.00	
3-4'	4.00	3.75	
4-5'	6.00	5.50	
5-6'	8.50		



	Each	Each per 10	Each per 100
C. plumosa aurea (G		per re	PCI 100
$1\frac{1}{2}$ -2'	2.50	2.25	2.00
$2-2\frac{1}{2}'$	2.75	2.50	2.25
$2\frac{1}{2} - 3^{7}$	3.25	3.00	2.75
$\bar{3}$ -3 $\frac{1}{2}$ '	4.00	3.75	3.50
$3\frac{1}{2}$ - 4^{7}	5.00	4.50	
C. filifera (Thread C	ypress)		
$2-2\frac{1}{2}'$	3.00	2.85	2.65
$2\frac{1}{2}$ -3 7	3.50	3.25	
$\bar{3}$ -4'	4.00	3.75	
C. squarrosa (Moss (Cypress)		
$2-2\frac{1}{2}'$	2.75	2.50	
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
$\frac{2}{3} - 3\frac{1}{2}'$	4.00	3.75	3.50
$3\frac{1}{2}-4^{7}$	5.00	4.75	
$4-4\frac{1}{2}'$	6.00		
CORNUS florida (WI	nite Flowerin	ng Dogwo	ood)
В&В			
4-5'	5.25	4.75	
5-6'	7.00	6.50	
6-8'	9.50		




o bolin i	5 IVOIDELLII		
CORNUS flor, rubra	Each	Each per 10	Each per 100
4-5'	8.00	7.50	
5-6'	12.00	11.00	
6-7'	17.00	16.00	
C. kousa (Chinese D			
4-5'	6.00	5.50	5.00
5-6'	7.75	7.25	7.00
6-7'	10.00	1.20	1.00
C. mas (Cornelian C.		&B	
3-4'	3.25	3.00	
4-5'	4.50	0.00	
C. sanguinea (Blood		od)	
2-3'	.65	.55	
3-4'	.90	.75	
C. stolonifera lutea			ood)
2-3'	.75	.65	, ,
3-4'	.90	.75	
COTONEASTER divar			
$1\frac{1}{2}$ -2'	1.75	1.50	0.05
2-3'	2.75	2.50	2.25
3-4' C. foveolata — B&B	3.50	3.25	
3-4' 4-5'	3.25	275	
5-6'	4.00	3.75	
C. horizontalis (Pros	4.75	aactam)	
B&B or #10		easter)	
		2.25	
$1-1\frac{1}{2}'$	2.50	2.25	
$1\frac{1}{2}$ -2'	3.25	2.75	
CYDONIA japonica)	
$2-2\frac{1}{2}'$	1.00	.85	
DAPHNE mezereum	(February	Daphne)	B&B
$1\frac{1}{2}$ -2'	2.75	2.50	
$2-2\frac{1}{2}$	3.25	3.00	
DEUTZIA crenata ai	nd crenata r		
3-4'	.75	.65	.60
4-5'	1.00	.85	.75
5-6'	1.25	1.00	
6-8'	1.50	1.00	
ENKIANTHUS (Red		thus) _	R.C.R
	3.25	3.00	2.75
$\begin{array}{c} 2 - 2 \frac{1}{2}' \\ 2 \frac{1}{2} - 3' \end{array}$	$\frac{3.25}{4.00}$	3.50	4.10
3-4'	5.50	5.50	
4-5'	8.00		
EUONYMOUS vegetu		1 50	1.05
	1.75	1.50	1.25
15-18" Heavy		1 77	1 50
$1\frac{1}{2}-2'$ "	2.00	1.75	
$1\frac{1}{2} \cdot 2'$ " " $2 \cdot 2\frac{1}{2}'$ " "	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	
$1\frac{1}{2}$ -2' " 2 - $2\frac{1}{2}$ ' " FORSYTHIA fortune	2.00 2.50	2.25	
$1\frac{1}{2} - 2'$ "	2.00 2.50 ei	2.25	
$1\frac{1}{2}$ -2' " 2 - $2\frac{1}{2}$ ' " FORSYTHIA fortune	2.00 2.50	2.25	1.50 2.00

	TTOTOLIUI.		•
E intone die	Each	Each per 10	Each per 100
F. intermedia 3-4'	.90	.75	
4-5'	1.10	.95	
F. spectablis	2.20	.00	
3-4'	.90	.75	.70
4-5'	1.10	.95	.85
5-6'	1.35	1.10	1.00
F. Spring Glory (new)			
4-5'	1.50	1.25	
5-6'	1.75	1.50	
GLEDITSIA triacanthos (Thornless Hone			
5-6'	2.00	1.75	1.50
6-8'	2.75	2.50	2.25
GLEDITSIA moraine (N (Plant Patent No		cust)	
6-8'	3.50	3.00	
HALESIA tetraptera			
5-6'	2.25		
6-8'	4.00		
HAMAMELIS virginia	na		
3-4'	1.25		
4-5'	1.65	1.50	
5-6'	2.00	1.75	
HEDERA helix (Englis	sh Ivy)		
2 Year	.30	.25	.20
4" Pots	.60	.50	.40
HYDRANGEA arb. gra			now)
3-4'	1.00	.85	
H. hortensis (Blue Hye		1.05	1.00
3-Year Plants 4-Year Plants	$\frac{1.50}{2.00}$	$\frac{1.25}{1.75}$	1.00
H. Pee Gee	2.00	1.75	
2-3'	.80	.70	.65
3-4'	1.00	.85	.75
4-5'	1.25	1.00	.90
5-6'	1.75		
HYPERICUM aureum $2 \cdot 2^{\frac{1}{2}}$.80	.70	
ILEX bullata			
15-18"	3.75	3.50	3.25
18-24"	5.00	4.50	
ILEX crenata (Jap. H	olly)		
$1\frac{1}{2}$ -2'	3.50	3.25	
$2-2\frac{1}{2}$	4.75	4.25	
$\frac{2\frac{1}{2}-3'}{3-4'}$	5.75 8.00	$\frac{5.25}{7.25}$	5. 0 0 6.75
4-4½'	11.00	1:40	0.13
1 12	11.00		

BULKS	NURSERII	LO	
	Each	Each per 10	Each per 100
I. crenata (Spreading	Type)		
18-24"	4.00	3.75	
$2-2\frac{1}{2}'$	5.25	5.00	
$2\frac{1}{2}$ -3'	6.50	6.00	
I. crenata compacta	0.00	0.00	
	3.75	3.50	3.25
15-18" Spread			
12-2	4.75	4.25	4.00
$2-2\frac{1}{2}'$ "	6.00	5.50	
I. glabra (Inkberry)			
15-18"	2.50	2.25	2.00
$1\frac{1}{2}$ -2'	3.00	2.75	2.50
$2 - 2\frac{1}{2}$	3.50	3.25	3.00
	4.50	4.25	4.00
$2\frac{1}{2}$ -3'		4.20	1.00
I. opaca (American H		4.50	
2-3'	5.00	4.50	
3-4'	7.00	6.50	
3-4' Heavy	8.75	8.00	
4-5'	11.50	10.50	
5-6' "	15.00		
Selected berried	plants 25%	addition	al.
I. verticillata (Winter	berry)		
2-3'	1.00	.85	.73
3-4'	1.15	1.00	.90
4-5'	1.50	2.00	
JUNIPERUS chinensi		ıa	
(Pfitzer Juniper		0.05	
$1\frac{1}{2}-2'$	3.75	3.25	
$2-2\frac{1}{2}'$	4.75	4.25	4.0
$2\frac{1}{2}$ - 3^{7}	5.75	5.25	5.0
$3-3\frac{1}{2}'$	7.00	6.50	
$3\frac{1}{2}$ -4'	8.50	8.00	
J. chinensis columnar	is		
(Columnar Chin	nese Junipe	er)	
5-6'	8.00	7.50	1
6-7'	11.00	10.00	
7-8'	14.00		
8-10'	19.00	18.00	
10-12'	25.00	10.00	
16-12'	50.00		
J. communis hibernic			
$2\frac{1}{2}$ -3'	2.25	2.00	0 =
3-4'	3.00	2.75	2.5
4-5'	3.75	3.50	
J. stricta			
$1\frac{1}{2}$ -2'	2.75	2.50	
	3.50		
4=/10	0.00	T	r)
$2-2\frac{1}{2}'$ I glauce hetzi (Hetz	's Spreading	(), "BIRRELATIVE	
J. glauca hetzi (Hetz			- /
J. glauca hetzi (Hetz $1\frac{1}{2}$ -2'	3.50	3.25	
J. glauca hetzi (Hetz $1\frac{1}{2}$ -2' 2 - $2\frac{1}{2}$ '	$\frac{3.50}{4.50}$	$\frac{3.25}{4.00}$	
J. glauca hetzi (Hetz $1\frac{1}{2}$ -2'	3.50	3.25	4.5

BULK'S N	UKSEKI	LES	9
JUNIPERS	Each	Each per 10	Each per 100
J. virg, cannarti (Canna	rti Juri	iner)	
J. virg. glauca (Blue Ju		iper)	
J. keteleeri (Keteleer Ce	_		
3-4'	5.50	5.00	
4-5'	6.50	6.00	
5-6'	8.50	7.75	
6-7'	11.00	10.00	
7-8'	14.00	10.00	
8-10'	19.00	18.00	
10-12'	26.00	25.00	
KOLKWITZIA amabilis		· · · · · · · · · · · · · · · · · · ·	
4-5'	1.35		1.00
5-6'	1.65	1.40	
6-7'	2.00		
LABURNUM vossi (Gold	den Cha	in)	
8-10′ B&B	10.00	,	
	20.00		
LESPEDEZA formosa			
(Purple Bush Clo		C(4	
(Good Deep (0.5
Heavy	1.25	1.00	.85
LEUCOTHOE catesbaei	(Droopi	ing Leucet	hoe)
15-18′′	3.00	2.75	
$1\frac{1}{2}$ -2'	3.50	3.25	3.00
LIGUSTRUM ovalifolium	n (Calife	ornia Priv <i>e</i>	(†)
2-3'	ii (Caille	.20	.16
3-4'		.20	.25
4-5'		.40	.25
L. ibota regelianum (Re	oel's Pri		.00
	.65		
2-3' Spread 3-4' "	1.00		
0 1			
LIQUIDAMBER styraci		veet Gum)	B&B
$1\frac{3}{4}$ -2" Cal.	13.50		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17.00		
$2\frac{1}{4}$ - $2\frac{1}{2}''$ "	20.00		
LONICERA grandiflora	(Bush 1	Honeysuck	le)
3-4'	.85	.75	.70
4-5'	1.00		.75
5-6'		1.00	
MAGNOLIA soulangear			
3-4'	5.50		
4-5'	7.50		
5-6'	10.50		n
M. soulangeana nigra a			D
3-4'		6.25	
4-5'	9.00	8.50	
5-6'	12.00	2.70	
M. alba superba (white			
3-4'		5.50	
M. halleana (Stellata) (1	wnite) –	- B&B	



M. halleana (Stellata) (water lily - pink) 2-3' 8.50 3-4' 11.00 4-5' 14.00 MALUS (Flowering Crab) arnoldiana, eleyi, hopa 6-8' Heavy 6.50 5.50 6-8' B&B Heavy 10.00 9.00 8-10' Heavy 8.00 7.00 8-10' B&B Heavy 12.50 11.50 10-12' Heavy 13.00 12.00 10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B		Each	Each	Each per 100
3-4' 11.00 4-5' 14.00 MALUS (Flowering Crab) arnoldiana, eleyi, hopa 6-8' Heavy 6.50 5.50 6-8' B&B Heavy 10.00 9.00 8-10' Heavy 8.00 7.00 8-10' B&B Heavy 12.50 11.50 10-12' Heavy 13.00 12.00 10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B	M. halleana (Stellata) (w			per 100
4-5' 14.00 MALUS (Flowering Crab) arnoldiana, eleyi, hopa 6-8' Heavy 6.50 5.50 6-8' B&B Heavy 10.00 9.00 8-10' Heavy 8.00 7.00 8-10' B&B Heavy 12.50 11.50 10-12' Heavy 13.00 12.00 10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B	2-3'	8.50		
MALUS (Flowering Crab) arnoldiana, eleyi, hopa 6-8' Heavy 6.50 5.50 6-8' B&B Heavy 10.00 9.00 8-10' Heavy 8.00 7.00 8-10' B&B Heavy 12.50 11.50 10-12' Heavy 13.00 12.00 10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B	3-4'	11.00		
6-8' Heavy 6.50 5.50 6-8' B&B Heavy 10.00 9.00 8-10' Heavy 8.00 7.00 8-10' B&B Heavy 12.50 11.50 10-12' Heavy 13.00 12.00 10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B	4-5'	14.00		
6-8' B&B Heavy 10.00 9.00 8-10' Heavy 8.00 7.00 8-10' B&B Heavy 12.50 11.50 10-12' Heavy 13.00 12.00 10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B	MALUS (Flowering Crab) arnoldi	ana, eleyi,	hopa
8-10' Heavy 8.00 7.00 8-10' B&B Heavy 12.50 11.50 10-12' Heavy 13.00 12.00 10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B	6-8' Heavy	6.50	5.50	
8-10' B&B Heavy 12.50 11.50 10-12' Heavy 13.00 12.00 10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B	6-8' B&B Heavy	10.00	9.00	
10-12' Heavy 13.00 12.00 10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B	8-10' Heavy	8.00	7.00	
10-12' B&B Heavy 18.00 17.00 MYRICA pennsylvanica (Bayberry) B&B	8-10′ B&B Heavy	12.50	11.50	
MYRICA pennsylvanica (Bayberry) B&B	10-12' Heavy	13.00	12.00	
В&В	10-12' B&B Heavy	18.00	17.00	
	MYRICA pennsylvanica	(Bayber	\mathbf{ry})	
$1\frac{1}{3}$ -2' 2.25 2.00 1.85	B&B			
	$1\frac{1}{2}$ -2'	2.25	2.00	1.85
$2-2\frac{1}{2}$ 3.00 2.75 2.50	$2-2\frac{1}{2}'$	3.00	2.75	2.50



ROUTE 27-A

NYSSA sylvatica 6-8′ B&B	Each 10.00	Each per 10	
OXYDENDRUM	arboreum (Sour	Wood)	
B&B			
3-4'	3.75	3.50	
4-5'	5.50	5.00	
5-6'	7.00	6.50	
PEARS (in var	ieties)		
5-6 Yr.	6-8 ′ 5.00 to	7.00	
	8-10' 8.00 to	12.00	
PHILADELPHU	JS Mt. Blane (Mo	ck Orang	·e)
3-4'	.85	.75	
4-5'	1.00	.85	.75
5-6'	1.35	1.10	

12	DOLLES	NOTOETTI		
P. Avalanche	(double	Each improved	Each per 10 type)	Each per 100
3-4'		1.00	.85	.75
4-5'		1.25	1.00	.85
5-6'		1.50	1.25	1.10
6-7'		2.00	1.75	1.60
PHOTINIA v	rillosa (Cl	hinese Chri	istmas Be	erry)
3-4'		1.25	1.00	
4-5'		1.75	1.50	1.25
5-6'		2.25	2.00	1.75
6-7'		2.75	2.25	2.00
PHYSOCARI	US opuli	folius (Nin	e Bark)	
3-4'		.85	.75	
4-5'		1.00	.85	.75
5-6'		1.25	1.00	
P. opulifolius	nana (I	Dwarf Nine	Bark)	
5-6'		1.75		
6-7'		2.50		
PICEA alba	(White S	pruce)		
3-4'		5.00		
5-6'		8.00		
P. excelsa				
$1\frac{1}{2}$ -2'		2.25	2.00	
$\overset{1}{2} \overset{2}{-} \overset{1}{2} \overset{\prime}{} \overset{\prime}{}$		2.75	$\frac{2.50}{2.50}$	
$2\frac{1}{2}$ - $3'$		$\frac{2.10}{3.50}$	3.00	
P. pungens		0.00	0.00	
3-4'		8.00		
4-5'		10.00		
P. pungens g	lauca			
3-4'		12.00		
4-5'		15.00		
PIERIS japo	onica (An	ndromeda)		
15-18′′		3.50	3.25	
$1\frac{1}{2}$ -2'		4.50	4.25	
2 - $2\frac{1}{2}'$		6.25	5.75	
PINUS strobu	s (White	Pine)		
4-5'		7.00	6.25	
5-6'		10.00		
6-8'		12.50		
PINUS thunk	ergi (Jap	. Black Pin	ie)	
2-3'	1	4.25	4.00	3.75
$3-3\frac{1}{2}'$		5.75	5.25	5.00
$3\frac{1}{2}-4'$		7.50	7.00	0.00
4-5'		10.00	9.00	
	avy	13.00	3.00	
	•			
PLATANUS (Londo	acerifolia on Plane)	(Sycamore	e)	
$1\frac{3}{4}-2''$	Cal.	9.50	9.00	
2 - $2\frac{1}{4}^{\prime\prime}$	"	12.50	12.00	
$2\frac{1}{4}$ - $2\frac{1}{2}^{\prime\prime}$	"	15.50	15.00	
	,,	20.00	19.00	
		20.00	10.00	

		~	10
PLATANUS acerifolia $3-3\frac{1}{2}$ "	26.00	Each per 10	Each per 100
$3\frac{1}{2}$ -4" "	35.00		
POPULUS nigra italica			
5-6'	1.00	.90	
6-8'	1.50	1.25	
RHODODENDRON m	aximum		
(Great Bay Rho	dodendron)		
$2\frac{1}{2}$ -3' Heavy	5.50		
3-4' "	7.50		
4-5' ''	10.00		
RHODODENDRON H	Tybrids in v	arieties,	Carac-
tacus, Crimson			
Dr. H. C. Dres	selhuys, Cri	mson; E	veresti-
anum, Rosy Li	lac, Roseum	elegans	, Rose-
lavender.			
15-18"	5.25	5.00	
$1\frac{1}{2}$ -2'	6.50	6.00	5.50
$2-2\frac{1}{2}'$	8.50	8.00	7.50
RHODODENDRON h	vbrid		
Catawbiense gra			
(Large Flowe			
Boursault (Ros	se-Lilae)		
15-18′′	5.00	4.50	
$1\frac{1}{2}$ -2'	6.00	5.50	5.00
2 - $2\frac{1}{2}$ '	8.00	7.50	7.00
$2\frac{1}{2}$ -3'	10.00		
SALIX babylonica (V	Veeping Will	ow)	
6-8'	2.00	1.75	1.50
8-10' $1\frac{1}{2}$ - $1\frac{3}{4}$ " Cal	$. \qquad 4.25$	3.75	
$10-12' \ 1\frac{3}{4}-2''$ "	5.25	4.75	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7.50		
$2\frac{1}{2}$ -3"	9.50	8.50	
	12.00		
4-5"	15.00		
SORBUS aucuparia			
$1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal.	6.00		
$1\frac{1}{2}$ -2" "	7.00		
SPIREA Anthony Wa	aterer		
$1\frac{1}{2}$ -2'	.75	.65	
$\tilde{3}$ -4'	1.25	1.00	
S. van Houttei (Brid	al Wreath)		
2-3'	.85	.70	.60
3-4'	1.00	.85	.75
SYMPHORICARPOS	racemosus	Snow B	erry)
2-3'	.75	.65	.50
3-4'	.85	.70	.65
S. vulgaris (Coral Be			
2-3'	.75	.65	.50
3-4'	.85	.70	.65
-	.00		

	Each	Each per 10	Each per 100
SYRINGA japonica	1 17	_	
4-5' 5-6'	1.7	9	
6-7'	$2.50 \\ 3.25$		
7-8'	$\frac{5.25}{4.50}$		
SYRINGA vulgaris			
2-3' Heavy	2.00	1.75	
5-4	2.50	2.25	
S. (French Hybrid 1			B&B
2-3'	2.75	2.50	2.25
3-4'	3.75	3.50	3.25
4-5'	5.00	4.75	
,·····	·····	······	~~~~ ;
тн	E YEW	,	}
The quality of Bull		-	nown }
Our prices repr			5
}			\ \ \
TAYIN L	1		
TAXUS baccata repa (Spreading En			
15-18"	•	9.75	
$1\frac{1}{2}$ -2'	$\frac{4,00}{5.00}$	$\frac{3.75}{4.75}$	4.50
$2 ext{-} 2 extstyle{\frac{1}{2}}'$	6.50	6.00	4.50
T. baccata hibernica			
$3-3\frac{1}{2}'$	8.50	,	
$3\frac{1}{2}$ - $4'$	10.00		
T. cuspidata (Spread		w)	
15-18"	3.50	3.25	3.00
$1\frac{1}{2}$ -2'	$\frac{3.50}{4.50}$	$\frac{3.25}{4.25}$	$\frac{3.00}{4.00}$
$\overset{\scriptscriptstyle 1}{2}\overset{\scriptscriptstyle 2}{-}\overset{\scriptscriptstyle 2}{2}\overset{\scriptscriptstyle 1}{\overset{\scriptscriptstyle 2}{}}{}'$	5.75	5.25	5.00
$2\frac{1}{2} - 3'$	8.00	7.50	9.00
$ ilde{3} ext{-}3rac{1}{2}^{\prime}$	11.00		
TAXUS cusp. bulki (1	Bulk's Yew)	. (Same	habit of
grow as Taxus			
very dark foli			
15-18",	3.75	3.50	3.25
$1\frac{1}{2}$ -2'	4.75	4.50	4.25
2 - $2\frac{1}{2}'$	6.00	5.50	5.25
TAXUS cuspidata capi	tata (Uprigh	it Jap. Ye	w)
$2\frac{1}{2}$ -3'	$6.\overline{25}$	5.75	,
$3-3\frac{1}{2}'$	7.25	6.75	
$3\frac{1}{2}$ -4'	9.00	8.25	
$4.4\frac{1}{2}'$	11.50	10.50	9.50
$4-4\frac{1}{2}$ Heavy	12.50	12.00	11.50
$4\frac{1}{2}$ -5'	13.50	12,50	11.50
$4\frac{1}{2}$ -5' Heavy	16.00	15.00	14.00
5-51' Rog	16.00	15.00	14.00

16.00

18.00

15.00

17.00

14.00

16.00

5-5½′ Reg. 5-5½′ Heavy

			1.0
TAXUS cuspidata (Each Continued)	Each per 10	Each per 100
$5\frac{1}{2}$ -6' Reg.	20.00	18.00	17.00
$5\frac{1}{2}$ -6' Heavy	25.00	23.00	17.00
			00.00
6-7' Reg.	26.00	24.00	22.00
6-7' Heavy	30.00	27.50	
7-8' Reg.	33.00	30.00	28.50
7-8′ Heavy	37.00	34.00	
8-9' "	42.00	38.00	
12-14' ''	100.00		
16-18' ''	140.00		
T. cuspidata capitat			
	act, tightly sh	eared)	
$3\frac{1}{2}$ -4'	12.00	11.00	
$4 \cdot 4 \cdot \frac{1}{2}'$	15.00	14.00	
Beet			
$4\frac{1}{2}$ -5'	18.50	17.50	
T. capitata columnar	ris (Columnar	Yew)	
$3\frac{1}{2}$ -4'	9.00	8.25	
$4-4\frac{1}{2}'$	12.50	11.50	10.50
$4\frac{1}{2}$ -5'	14.50	13.50	12.50
$\overline{5}$ - $5\frac{1}{2}$ '	16.50	15.50	
$5\frac{1}{2}$ -6'	22.00	20.00	
6-7'	27.50	20.00	
8-9'	42.00		
9-10'	50.00		
T. cuspidata capitat			
	variety with l		
	nana — a ve	ry slow g	rower.)
$4-4\frac{1}{2}'$	15.00		
$4\frac{1}{2}-5'$	19.00		
5-6'	23.00	21.50	
6-7'	35.00	32.50	
T. intermedia (Hyb	rid Yew)		
(Spreading T			
15-18"	3.75	3.50	3.25
$1\frac{1}{2}$ -2'	4.75	4.50	4.25
$\frac{1}{2}$ - $\frac{1}{2}$ '	6.25	5.75	5.50
$2\frac{1}{2}$ -3'	8.25	0.10	0.00
$\frac{3}{3}$	12.00		
$3\frac{1}{2}$ -4'	16.00		
$4.4\frac{1}{2}'$	20.00		
T. media hatfieldi)	
15-18"	3.50	3.25	3.00
$13-10$ $1\frac{1}{2}-2'$	$\frac{3.50}{4.00}$	$\frac{3.25}{3.75}$	3.50
$2-2\frac{1}{2}$	$\frac{4.00}{4.50}$	$\frac{3.75}{4.25}$	4.00
$2\frac{1}{2}$ $2\frac{1}{2}$ Reg.	6.00	5.50	5.00
$2\frac{1}{2}$ -3 Reg. $2\frac{1}{2}$ -3' Heavy	7.00	6.50	0.00
$3-3\frac{1}{2}$ Reg.	8.50	8.00	
$3-3\frac{1}{2}$ Reg. $3-3\frac{1}{2}$ Heavy	12.00	0.00	
$3\frac{1}{2}$ -4' ",	15.00		
$\frac{3}{4-4\frac{1}{2}'}$ "	18.00		
1 12	10.00		

TAVIC Lists: (High	Each	Each per 10	Each per 100
TAXUS hicksi (Hicks			
$1\frac{1}{2}$ -2'	3.50	3.25	3.00
2 - $2\frac{1}{2}$ '	4.25	4.00	3.75
$2\frac{1}{2}$ -3' Reg.	5.75	5.25	4.75
$2\frac{1}{2}$ -3' Heavy	6.50	6.00	
$3-3\frac{1}{2}'$ Reg.	7.00	6.50	6.00
$3-3\frac{1}{2}'$ Heavy	8.50		
$3\frac{1}{2}$ -4' Reg.	9.75	8.75	
$3\frac{1}{2}$ -4' Heavy	12.00		
$\overline{4}$ - $4\frac{1}{2}$ ' Reg.	13.00		
$4-4\frac{1}{2}'$ Heavy	15.00		
$4\frac{1}{2}-5'$ "	19.00		
5-6' "	25.00		
T. kelseyi (Kelsey's			
$1\frac{1}{2} \cdot 2'$	3.50	3.25	
$\overset{1_{2}}{2}\overset{2}{2}\overset{1}{2}'$	$\frac{3.50}{4.25}$	$\frac{3.23}{4.00}$	
$2\frac{1}{2}$	6.00	5.50	5.00
$3 ext{-} 3 extstyle{}^{1\prime}$	7.00	5.50	5.00
$3\frac{1}{2}$ -4'			
~	9.75		
T. nana brevifolia (I 15-18"		0.77	
	4.25	3.75	
$1\frac{1}{2}$ -2'	5.50	5.00	
$\frac{2-2\frac{1}{2}'}{2}$	7.50		
$2\frac{1}{2}$ -3'	11.00		
T. vermeulen (Verm	eulen's Yew)		
$1\frac{1}{2}$ -2'	3.75	3.50	3.25
2 - $2\frac{1}{2}$ '	4.50	4.25	4.00
$2\frac{1}{2}$ -3'	6.00	5.50	5.00
$3 - 3\frac{1}{2}'$	7.50	7.00	
$3\frac{1}{2}$ -4'	10.25		

TAXUS CAPITATA and COLUMNARIS For Hedges

These plants, while some are not quite finished enough for individual specimen planting, afford an excellent opportunity for medium cost hedge planting.

Grown From Selected Cuttings — B&B

3-4' Each per 10 per 100 4.75 4.25

THUJA	occidentalis	(American	Arborvitae)	
$2\frac{1}{2}$ -3'		3.00	2.75	2.50
3-4'		3.75	3.50	3.25
4-5'		4.50	4 25	4.00

	7. 1	Each	Each
THUJA occ. compacta	Each & hoveyi	per 10	per 100
(Parson's Arbory			&
15-18"	2.25	2.00	1.75
$\frac{1\frac{1}{2}-2'}{-}$	2.75	2.50	2.25
T. occ. erecta		0 = 0	
$\frac{2-2\frac{1}{2}'}{2}$	2.75	2.50	
$2\frac{1}{2}$ -3'	3.25	3.00	
$3-3\frac{1}{2}$	3.75	3.50	
T. occ. lutea (George		(Arborv	itae)
5-6'	6.50		
6-7'	8.00		
T. occ. nigra (Dark An			
$2\frac{1}{2}$ -3'	3 00	2.75	2.50
3-4'	3.75	3.50	3.25
$4-4\frac{1}{2}'$	4.50	4.25	
T. occ. elegantissima (0.05
$\frac{2-2\frac{1}{2}'}{2^{1-2}}$	$\frac{2.75}{2.25}$	$\frac{2.50}{2.00}$	2.25
$\frac{2\frac{1}{2}-3'}{3-4'}$	$\frac{3.25}{4.00}$	$\frac{3.00}{3.75}$	2.75
4-5'	5.00	$\frac{3.75}{4.50}$	
T. occ. pyramidalis (P			
1. Occ. pyramidans (1) $2-2\frac{1}{2}$	2.50	2.25	
$2\frac{1}{2}$ - $3'$	$\frac{2.50}{3.00}$	2.75	2.50
$\frac{3}{3}$ -4'	3.50	$\frac{2.75}{3.25}$	3.00
4-5'	4.50	0.20	0.00
	senthal Ar	h.)	
$2-2rac{1}{2}'$	3.25	<i></i>	
$2\frac{1}{2}$ -3'	4.25		
4-5'	6.00	5.50	
F. standishi (Standish			
8-10'	16.50		
r. occ. wareana (Siber			
$1\frac{1}{2}-2'$	2.00	1.75	,
$2 - 2 \frac{1}{2}$	2.50	2.25	
4-5'	6.00		
5-6'	7.50		
E. orientalis nana aur		Biota)	
15-18"	2.75	2.50	2.25
18-24"	3.25	3.00	2.75
$2-2\frac{1}{2}'$	3.75	3.50	3.25
_			0.20
TSUGA canadensis (Ca		2.75	2.50
$1\frac{1}{2}$ -2'	3.00		$\frac{2.30}{3.25}$
$2-2\frac{1}{2}'$	3.75	3.50	
$2 - \frac{1}{2} - 3'$	4.50	4.25	4.00
$3 - 3\frac{1}{2}$	6.50	6.00	5.50
$3\frac{1}{2}-4'$	7.50	7.00	6.50
$3\frac{1}{2}$ -4' Heavy	9.00	0.50	0.00
4-5'	9.00	8.50	8.00
4-5' Heavy	11.00	19.00	
5-6'	13.50	13.00	

18 BULK S	NOTESETTI	.LD	
	Each	Each per 10	Each per 100
ULMUS americana (A		-	p-0-1 200
$2-2\frac{1}{2}$ " Cal.		8.00	
$2\frac{1}{2} \cdot 3''$,,		10.00	
$3-3\frac{1}{2}''$ "		15.00	
$3\frac{1}{2}-4''$ "	20.00	10.00	
7-8"	65.00		
• •			
ULMUS pumila (Sibe $2-2\frac{1}{2}$ " Cal.	9.00	8.00	
$2^{2}\overline{2}$ Cal. $2^{1}\overline{2}$ -3"		10.00	
-			TO C TO
VACCINIUM hybrid (In Varieties)	(Highbush	Blueberry)	Вав
2-3'	2.50	2.25	
VIBURNUM carlesi (1	Fragrant Vi	burnum)	
V. juddi (Fragrant V	_		
(Good Strong (B&B	
Prices for A	bove Two	Varieties	
2 - $2\frac{1}{2}$ '	3.25		
$2\frac{1}{2}$ -3'	3.75		
3-4'	4.50		
V. lentago (Nannyber	ry)		
5-6'	. 2.00	1.75	
6-7'	2.50		
V. dentatum (Arrow	Wood)		
V. opulus (European	Cranberry 1	Bush)	
Prices of Al	pove Two	Varieties	
3-4'	1.25	1.00	
4-5'	1.50	1.25	
5-6'	1.75	1.50	
V. op. sterilis (Comm		11)	
3-4'	1.50	1.25	
4-5'	1.75	1.50	
V. theiferum (Tea Vi	burnum)		
2-3'	1.25	1.00	
3-4'	1.75	1.50	
V. tomentosum (Doub	ble File Vib	ournum)	
2-3'	1.00	.90	
3-4'	1.25		
4-5'	1.50	1.25	
WEIGELA rosea (Pin			
3-4'	.90	.75	
4-5'	1.25	1.00	
W. vaniceki (Red)	1.40	1.00	
3-4'	1.00	.85	
4-5'	1.50	.00	
W. nana variegata (V		Foliago	
2-3'			
3-4'	.90	.75	
0-1	1.10	.95	

3.00

VINES and CLIMBERS

WISTERIA sinensis, sinensis alba (Chinese Wisteria)

B&B

Each Each per 10

5-6 Year Grafts — \$7.50 each SINENSIS and ORIENTAL HYBRIDS

S. floribunda Naga Noda

S. floribunda Kyushku

Heavy Mature Grafts, extra heavy, staked B&B

6-9' — \$18.00 - \$24.00 each

LINING OUT TAXUS CAPITATA

(Upright Yew)

From field rows, several times transplanted and sheared. Can be safely shipped bare root, puddled. (Excellent Root System.)

ROW RUN	Each per 100	Each per 1000
$2\frac{1}{2}$ -3' B.R.	2.75	2.25
3-4' "	3.25	3.00
3-4' B&B	3.75	3.50

LINING OUT STOCK LARGE QUALITY LINERS

3-4 Years, Field Grown Transplants

	Each per 100	Each per 1000
ILEX crenata		
10-15"	.65	.55
TAXUS cuspidata		
12-18"	.85	.75
T. media Hicksi		
19-15"	85	75

ROSES HYBRID TEA


3-Year (in varieties) — 90 cents

CONTAINER-GROWN STOCK IN ONE-GALLON METAL CANS

	eacn
ABELIA grandiflora	
15-18"	\$1.50
BERBERIS Juliane	,
12-15"	2.00
ACER palmatum atropurpureum	
$1\frac{1}{2}$ -2'	3.50
HYPERICUM aureum	
$1\frac{1}{2}$ -2'	1.25
CYDONIA Coral Sea	
15-18"	1.75
MAHONIA aquifolium	
$1-1\frac{1}{2}-'$	2.00
COTONEASTER horizontalis	

 $1\frac{1}{2}-2'$





BULK'S NURSERIES

BABYLON, NEW YORK

Telephone 9-4400